







THC RADIATORS







the freedom
to make it
your own

index



eco

10



originals

16



timeless

24



classics

34



commercial

40



legacy

46



eloquence

60



miniatures

64



shower curtain rails

68



ensemble

74



contemporary

80



interiors

88



modern

92





eco collection

A beautifully simplistic selection of electrically heated towel rails which are both functional and unassuming in design. As the name suggests, Eco's low level wattage outputs ensure minimal energy usage



EL006

H: 575
W: 575
D: 125

Electric Element Wattage
100



EL007

H: 575
W: 575
D: 115

Electric Element Wattage
100



EL008

H: 915

W: 575

D: 85-165

Electric Element Wattage
100

EL009

H: 838

W: 500

D: 138

Electric Element Wattage

100



EL010

H: 888

W: 575

D: 138

Electric Element Wattage

100





EL023

H: 238
W: 575
D: 300

Electric Element Wattage
100



EL024

H: 750
W: 500
D: 125

Electric Element Wattage
100





originals

collection

Blending the period charm of Legacy with delicate, bijou refinement, Originals elevates traditional to another level of finesse.



OG001

H: 235
W: 575
D: 135

Heat Output @ 50°CΔt
Watts: 79
Btu/hr: 270

Electric Element Wattage
75



OG002F

H: 1575
W: 525
D: 135

Heat Output @ 50°CΔt
Watts: 292
Btu/hr: 997

Electric Element Wattage
125



originals Ball Joint

OG004

H: 965

W: 75

D: 488

Heat Output @ 50°CΔt

Watts: 156

Btu/hr: 532

Electric Element Wattage

100



OG003A

H: 938

W: 575

D: 138

Heat Output @ 50°CΔt

Watts: 163

Btu/hr: 556

Electric Element Wattage

75





OG007

H: 1538
W: 625
D: 245

Heat Output @ 50°CΔt
Watts: 787
Btu/hr: 2685

Electric Element Wattage
500

OG006

H: 938
W: 735
D: 250

Heat Output @ 50°CΔt
Watts: 653
Btu/hr: 2228

Electric Element Wattage
400



OG009B

H: 825
W: 675
D: 160

Heat Output @ 50°CΔt
Watts: 570
Btu/hr: 1945

Electric Element Wattage
300





OG011A

H: 1543
W: 550
D: 168

Heat Output @ 50°CΔt
Watts: 318
Btu/hr: 1084

Electric Element Wattage
125



OG013B

H: 920
W: 686
D: -

Heat Output @ 50°CΔt
Watts: 351
Btu/hr: 1198

Electric Element Wattage
125

Wall mounted version OG010. Refer to technical specification sheet page.



OG017-BR

H: 850

W: 600

D: 235

Heat Output @ 50°CΔt

Watts: 439

Btu/hr: 1498

Electric Element Wattage

2 X 75

OG016

H: 875

W: 675

D: 325

Heat Output @ 50°CΔt

Watts: 871

Btu/hr: 2971

Electric Element Wattage

200+300



OG018

H: 970

W: 675

D: 125

Heat Output @ 50°CΔt

Watts: 389

Btu/hr: 1329

Electric Element Wattage

200



OG019

H: 740

W: 675

D: 138

Heat Output @ 50°CΔt

Watts: 290

Btu/hr: 989

Electric Element Wattage

125



OG020

H: 1100

W: 550

D: 90-113

Heat Output @ 50°CΔt

Watts: 532

Btu/hr: 1815

Electric Element Wattage

200







timeless

collection

For when functionality is a prerequisite, Timeless will accommodate your styling needs and blend effortlessly with changing themes and decor

TM001

H: 900

W: 525

D: 142

Heat Output @ 50°CΔt

Watts: 716

Btu/hr: 2443

Electric Element Wattage

300



TM002

H: 900

W: 590

D: 214

Heat Output @ 50°CΔt

Watts: 689

Btu/hr: 2351

Electric Element Wattage

300

TM003

H: 900

W: 525

D: 142-160

Heat Output @ 50°CΔt

Watts: 726

Btu/hr: 2477

Electric Element Wattage

400



TM004

H: 900

W: 590

D: 214-232


Heat Output @ 50°CΔt

Watts: 699

Btu/hr: 2382

Electric Element Wattage

400



BENEFITS OF A 2-IN-1 COMBINATION TOWEL WARMER

- Beautiful design
- High heat output
- Maximised towel hanging capacity



TM006

H: 1000
W: 525
D: 191-209

Heat Output @ 50°CΔt
Watts: 716
Btu/hr: 2443

Electric Element Wattage
300

TM005

H: 1000
W: 550
D: 182-200

Heat Output @ 50°CΔt
Watts: 741
Btu/hr: 2527

Electric Element Wattage
400



TM009

H: 1200
W: 562
D: 150/166

Heat Output @ 50°CΔt
Watts: 830
Btu/hr: 2832

Electric Element Wattage
300



TM008

H: 1200
W: 500
D: 150-166

Heat Output @ 50°CΔt
Watts: 553
Btu/hr: 1887

Electric Element Wattage
300

simple,
stylish
and
practical



TM007

H: 1838
W: 525
D: 398

Heat Output @ 50°CΔt
Watts: 379
Btu/hr: 1688

Electric Element Wattage
200

TM014

H: 1350
W: 500
D: 265

Heat Output @ 50°CΔt
Watts: 329
Btu/hr: 1122

Electric Element Wattage
150





TM010

H: 2000
W: 650
D: 175

Heat Output @ 50°CΔt
Watts: 259
Btu/hr: 885

Electric Element Wattage
150

TM011

H: 1300
W: 580
D: 115

Heat Output @ 50°CΔt
Watts: 231
Btu/hr: 790

Electric Element Wattage
150



TM012A

H: 850
W: 550
D: 140

Heat Output @ 50°CΔt
Watts: 138
Btu/hr: 471

Electric Element Wattage
100

TM015

H: 1200
W: 500
D: 190

Heat Output @ 50°CΔt
Watts: 290
Btu/hr: 991

Electric Element Wattage
150




TM013A

H: 350
W: 550
D: 200

Heat Output @ 50°CΔt
Watts: 109
Btu/hr: 370

Electric Element Wattage
100





TM016B

H: 1200
W: 550
D: 125

Heat Output @ 50°CΔt
Watts: 271
Btu/hr: 926

Electric Element Wattage
150

TM017A

H: 850
W: 550
D: 125

Heat Output @ 50°CΔt
Watts: 182
Btu/hr: 621

Electric Element Wattage
100



TM019A

H: 850
W: 550
D: 125

Heat Output @ 50°CΔt
Watts: 156
Btu/hr: 531

Electric Element Wattage
100



TM020A

H: 938
W: 575
D: 138

Heat Output @ 50°CΔt
Watts: 184
Btu/hr: 626

Electric Element Wattage
100



TM021

H: 825
W: 525
D: 120

Heat Output @ 50°CΔt
Watts: 259
Btu/hr: 885

Electric Element Wattage
100



TM018A

H: 550
W: 450
D: 200

Heat Output @ 50°CΔt
Watts: 156
Btu/hr: 531

Electric Element Wattage
100







classics

collection


Unabashed and a little pretentious the Classics range was created to offer feature pieces that demand attention and adorn in equal measure

CL001A

H: 940
W: 575
D: 140

Heat Output @ 50°CΔt
Watts: 163
Btu/hr: 555

Electric Element Wattage
125



Rope Tube



Reed Tube

CL002A

H: 575
W: 575
D: 115

Heat Output @ 50°CΔt
Watts: 163
Btu/hr: 555

Electric Element Wattage
100





CL003A

H: 915
W: 575
D: -

Heat Output @ 50°CΔt
Watts: 163
Btu/hr: 555

Electric Element Wattage
125



CL004A

H: 775
W: 475
D: 125

Heat Output @ 50°CΔt
Watts: 169
Btu/hr: 577

Electric Element Wattage
100



CL005A

H: 940
W: 575
D: 140

Heat Output @ 50°CΔt
Watts: 163
Btu/hr: 555

Electric Element Wattage
125



CL007

H: 1238
W: 575
D: 138

Heat Output @ 50°CΔt
Watts: 198
Btu/hr: 623

Electric Element Wattage
125



CL006

H: 1275
W: 575
D: 125

Heat Output @ 50°CΔt
Watts: 206
Btu/hr: 647

Electric Element Wattage
125



CL008

H: 1000
W: 675
D: 125

Heat Output @ 50°CΔt
Watts: 276
Btu/hr: 942

Electric Element Wattage
200



nostalgia with a contemporary twist

CL011

H: 850
W: 500
D: 200

Heat Output @ 50°CΔt
Watts: 223
Btu/hr: 761

Electric Element Wattage
2 x 75



CL009

H: 850
W: 675
D: 213

Heat Output @ 50°CΔt
Watts: 660
Btu/hr: 2252

Electric Element Wattage
200+150



CL010

H: 940
W: 675
D: 215

Heat Output @ 50°CΔt
Watts: 451
Btu/hr: 1540

Electric Element Wattage
300







commercial

collection

Clean, clinical and above all practical Commercial offers utilitarian solutions for home and hospitality applications



CL014A

H: 675
W: 675
D: 115

Heat Output @ 50°CΔt
Watts: 156
Btu/hr: 531

Electric Element Wattage
75



CL013A

H: 940
W: 675
D: 140

Heat Output @ 50°CΔt
Watts: 156
Btu/hr: 531

Electric Element Wattage
75



CL015A

H: 675
W: 575
D: 135

Heat Output @ 50°CΔt
Watts: 128
Btu/hr: 436

Electric Element Wattage
75



CL016A

H: 915
W: 675
D: -

Heat Output @ 50°CΔt
Watts: 156
Btu/hr: 531

Electric Element Wattage
75



CL017

H: 630
W: 540
D: 150

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$
Watts: 466
Btu/hr: 2060

Electric Element Wattage
300



CL021

H: 940
W: 735
D: 190

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$
Watts: 598
Btu/hr: 2233

Electric Element Wattage
300





CL018

H: 940

W: 675

D: 140

Heat Output @ 50°CΔt

Watts: 505

Btu/hr: 1498

Electric Element Wattage

300







legacy

collection

A quintessential styling with its roots in Victorian Britain. The Legacy range offers a luxurious feel and a glimpse of our company's heritage



LG001A

H: 850
W: 475
D: 118

Heat Output @ 50°CΔt
Watts: 150
Btu/hr: 511

Electric Element Wattage
100



LG002

H: 938
W: 675
D: 138

Heat Output @ 50°CΔt
Watts: 290
Btu/hr: 989

Electric Element Wattage
100



LG003A

H: 938
W: 675
D: 138

Heat Output @ 50°CΔt
Watts: 290
Btu/hr: 989

Electric Element Wattage
125

LG003D

H: 740
W: 675
D: 125

Heat Output @ 50°CΔt
Watts: 290
Btu/hr: 989

Electric Element Wattage
125



LG004A

H: 938
W: 735
D: 250

Heat Output @ 50°CΔt
Watts: 653
Btu/hr: 2228

Electric Element Wattage
400



LG004C

H: 938

W: 500

D: 250

Heat Output @ 50°CΔt

Watts: 392

Btu/hr: 1337

Electric Element Wattage

200



Extension available
for LG004C

LG005B

H: 740

W: 675

D: 250

Heat Output @ 50°CΔt

Watts: 541

Btu/hr: 1846

Electric Element Wattage

400





LG010

H: 750
W: 475
D: 105

Heat Output @ 50°CΔt
Watts: 169
Btu/hr: 576

Electric Element Wattage
100

LG012A

H: 970
W: 675
D: 125

Heat Output @ 50°CΔt
Watts: 389
Btu/hr: 1329

Electric Element Wattage
200



elegant
and
sophisticated
for a perfect
traditional style



LG013

H: 1500

W: 500

D: 250

Heat Output @ 50°CΔt

Watts: 738

Btu/hr: 2518

Electric Element Wattage

400



LG015

H: 875

W: 675

D: 248

Heat Output @ 50°CΔt

Watts: 719

Btu/hr: 2453

Electric Element Wattage

150 + 200



LG014

H: 875

W: 675

D: 325

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$

Watts: 871

Btu/hr: 2971

Electric Element Wattage

200 + 300




LG017

H: 850
W: 600
D: 235

Heat Output @ 50°CΔt
Watts: 439
Btu/hr: 1498

Electric Element Wattage
2 x 75



LG018

H: 1115
W: 550
D: 85

Heat Output @ 50°CΔt
Watts: 532
Btu/hr: 1815

Electric Element Wattage
200



LG021A

H: 1238

W: 525

D: 138

Heat Output @ 50°CΔt

Watts: 239

Btu/hr: 817

Electric Element Wattage

125



Other sizes and variation available
please check pricelist





LG021B

H: 1275

W: 525

D: 125

Heat Output @ 50°CΔt

Watts: 239

Btu/hr: 817

Electric Element Wattage

125



Other sizes and variation available
please check pricelist





LG032WM

H: 686
W: 686
D: 154

Heat Output @ 50°CΔt
Watts: 220
Btu/hr: 751

Electric Element Wattage
100



TUBE SIZE OPTIONS



Ball Joint
for 1.25" tube



Ball Joint
for 1.5" tube

LG031

H: 943
W: 836
D: 193

Heat Output @ 50°CΔt
Watts: 275
Btu/hr: 939

Electric Element Wattage
150





LG032FW

H: 943

W: 686

D: 163

Heat Output @ 50°CΔt


Watts: 243

Btu/hr: 843

Electric Element Wattage

125






eloquence

collection

The definitive towel warmer design refined to compliment the contemporary or the more traditional bathroom. Its increased towel warming capacity makes Eloquence the logical fixture within a busy, family bathroom



CN021

H: 750

W: 450

D: 93

Heat Output @ 50°CΔt

Watts: 132

Btu/hr: 450

Electric Element Wattage

100



CN022

H: 1300

W: 500

D: 95


Heat Output @ 50°CΔt

Watts: 206

Btu/hr: 703

Electric Element Wattage

125



traditional elegant style



CN023

H: 1575
W: 525
D: 126

Heat Output @ 50°CΔt
Watts: 281
Btu/hr: 959

Electric Element Wattage
150



CN024


H: 1275
W: 525
D: 105

Heat Output @ 50°CΔt
Watts: 271
Btu/hr: 925

Electric Element Wattage
125







miniatures

collection

A range of compact and functional heated racks, Miniatures allows towels to be stacked or draped where space is at a premium

MN002

H: 375

W: 675

D: 315

Heat Output @ 50°CΔt

Watts: 223

Btu/hr: 762

Electric Element Wattage

100



MN004

H: 75

W: 675

D: 265




TR002

H: 338
W: 500
D: 315

Heat Output @ 50°CΔt
Watts: 224
Btu/hr: 764

Electric Element Wattage
75



TR001

H: 263
W: 500
D: 315

Heat Output @ 50°CΔt
Watts: 126
Btu/hr: 430

Electric Element Wattage
50





shower curtain rails & basin stands

collection

Beautifully handcrafted brass Shower Curtain Rails & Basin Stands designed with long lasting durability in mind for any classic bathroom

SCR1.1

L: 1275
W: 625
D: 325



SCR2.1

L: 1238
W: 675
D: 338



SCR3.1

L: -
W: 1700
D: -





SCR5.1

775 Diameter



SCR4.1

L: 938

W: 938

D: -



SCR6.2

L: 1238

W: 638

D: -



BSS001

BSS002



These products are produced to order and manufactured to suit individual requirements. The styles illustrated contain some of the features possible when designing a Basin Stand, please contact our sales office for further assistance

BSS003





BSS004



BSS005







ensemble

collection

By way of a sequel to Interiors the Ensemble collection expands upon similar themes but extends the concept to other parts of the home




EN005

H: 1800
W: 560
D: 62-78

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$
Watts: 1216
Btu/hr: 4149

Electric Element Wattage
600



EN006

H: 1800
W: 500
D: 82-98

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$
Watts: 1496
Btu/hr: 5104

Electric Element Wattage
400





EN007

H: 1800
W: 710
D: 92

Heat Output @ 50°CΔt
Watts: 2005
Btu/hr: 6841


Electric Element Wattage
600



EN014

H: 1800
W: 454
D: 79-99

Heat Output @ 50°CΔt
Watts: 704
Btu/hr: 2402





EN011C

H: 1500
W: 500
D: 100

Heat Output @ 50°CΔt
Watts: 554
Btu/hr: 1890

Electric Element Wattage
400



EN015

H: 1570
W: 500
D: 127

Heat Output @ 50°CΔt
Watts: 906
Btu/hr: 3091

Electric Element Wattage
400



ENZV150

H: 1500
W: 250
D: 160

Heat Output @ 50°CΔt
Watts: 1229
Btu/hr: 4193

EN004 (Flat)

H: 442
W: 700
D: 320

Heat Output @ 50°CΔt
Watts: 780
Btu/hr: 2661







contemporary

collection

Whether the preference is for an iconic feature piece or just a simple geometric form Contemporary can either delight or merely fuse according to your needs



CN002

H: 710
W: 450
D: 90

Heat Output @ 50°CΔt
Watts: 300
Btu/hr: 1024

Electric Element Wattage
100



CN003

H: 340
W: 450
D: 90

Heat Output @ 50°CΔt
Watts: 144
Btu/hr: 491

Electric Element Wattage
75



CN007

H: 140
W: 1000
D: 90

Heat Output @ 50°CΔt
Watts: 171
Btu/hr: 583

Electric Element Wattage
100



CN009C

H: 1500
W: 450
D: 120

Heat Output @ 50°CΔt
Watts: 437
Btu/hr: 1491

Electric Element Wattage
150



CN001

H: 1200
W: 500
D: 150

Heat Output @ 50°CΔt
Watts: 787
Btu/hr: 2686

Electric Element Wattage
300



CN019

H: 1800

W: 455

D: 150

Heat Output @ 50°CΔt

Watts: 1089

Btu/hr: 3715



CN015

H: 1240
W: 550
D: 250

Heat Output @ 50°CΔt
Watts: 642
Btu/hr: 2190

Electric Element Wattage
300



CN011

H: 700
W: 700
D: 265

Heat Output @ 50°CΔt
Watts: 613
Btu/hr: 2091

Electric Element Wattage
200



CN013

H: 1680

W: 500

D: 350

Heat Output @ 50°CΔt

Watts: 814

Btu/hr: 2777

Electric Element Wattage

300



CN014

H: 1680
W: 450
D: 110

Heat Output @ 50°CΔt
Watts: 631
Btu/hr: 2153

Electric Element Wattage
200







interiors

collection

A mix of softened angles, straight lines and smooth faces, Interiors creates powerful and dynamic design options



IN002B

Stainless Steel

H: 170
W: 1000
D: 93

Heat Output @ 50°CΔt
Watts: 290
Btu/hr: 989

Electric Element Wattage
100



IN007

Stainless Steel

H: 1200
W: 400
D: 93

Heat Output @ 50°CΔt
Watts: 550
Btu/hr: 1877

Electric Element Wattage
125



IN014

Stainless Steel

H: 230

W: 485

D: 300

Heat Output @ 50°CΔt

Watts: 180

Btu/hr: 614

Electric Element Wattage

100

IN012

Stainless Steel

H: 850

W: 600

D: 200

Heat Output @ 50°CΔt

Watts: 716

Btu/hr: 2443

Electric Element Wattage

2 x 125







modern

collection

Embracing the very essence of a format made popular in mainland Europe, Modern combines towel warming capability with increased surface area for high heat output



MD001

H: 1200
W: 500
D: 93-113

Heat Output @ 50°CΔt
Watts: 600
Btu/hr: 2048

Electric Element Wattage
300

Also available curved MD002

Also available curved MD004

MD003


H: 1186
W: 500
D: 76-99

Heat Output @ 50°CΔt
Watts: 465
Btu/hr: 1586

Electric Element Wattage
400



innovative
designs,
beautiful
styling




MD006

H: 720
W: 500
D: 82-102

Heat Output @ 50°CΔt
Watts: 327
Btu/hr: 1116

Electric Element Wattage
200



MD017

H: 1200
W: 500
D: 75-98

Heat Output @ 50°CΔt
Watts: 581
Btu/hr: 1982

Electric Element Wattage
300



MD018

H: 1200
W: 480
D: 80

Heat Output @ 50°CΔt
Watts: 443
Btu/hr: 1511

Electric Element Wattage
200



HEXAGONAL TUBE



MD020

H: 822
W: 445
D: 345

Heat Output @ 50°CΔt
Watts: 395
Btu/hr: 1347

Electric Element Wattage
150



MD037

H: 700
W: 425
D: 75

Heat Output @ 50°CΔt
Watts: 106
Btu/hr: 362

Electric Element Wattage
75



MD024

Stainless Steel

H: 700
W: 320
D: 145-161

Heat Output @ 50°CΔt
Watts: 327
Btu/hr: 1116

Electric Element Wattage
200

MD021

H: 820
W: 507
D: 167

Heat Output @ 50°CΔt
Watts: 339
Btu/hr: 1157

Electric Element Wattage
150



MD028

Stainless Steel

H: 1280
W: 532
D: 79-102

Heat Output @ 50°CΔt
Watts: 381
Btu/hr: 1300

Electric Element Wattage
100



Also available curved MD026



MD034

Stainless Steel

H: 800
W: 450
D: 100

Heat Output @ 50°CΔt
Watts: 300
Btu/hr: 1023

Electric Element Wattage
100



MD035

Stainless Steel

H: 1200
W: 500
D: 100

Heat Output @ 50°CΔt
Watts: 537
Btu/hr: 1833

Electric Element Wattage
200

Also available
curved MD036




MD038

Stainless Steel

H: 800
W: 500
D: 80

Heat Output @ 50°CΔt
Watts: 404
Btu/hr: 1379

Electric Element Wattage
200





MD040

Stainless Steel

H: 900
W: 500
D: 97

Heat Output @ 50°CΔt
Watts: 458
Btu/hr: 1564

Electric Element Wattage
200

MD039

Stainless Steel

H: 900
W: 530
D: 80

Heat Output @ 50°CΔt
Watts: 291
Btu/hr: 993

Electric Element Wattage
150




MD041

Stainless Steel

H: 790
W: 520
D: 100

Heat Output @ 50°CΔt
Watts: 223
Btu/hr: 760

Electric Element Wattage
100





MD042

Stainless Steel

H: 790

W: 520

D: 100


Heat Output @ 50°CΔt

Watts: 273

Btu/hr: 932

Electric Element Wattage

100



MD043

Stainless Steel

H: 450

W: 520

D: 100


Heat Output @ 50°CΔt

Watts: 268

Btu/hr: 915

Electric Element Wattage

100



Also available curved MD044, Stainless Steel

MD046

H: 1200

W: 500

D: 94

Heat Output @ 50°CΔt

Watts: 220

Btu/hr: 751

Electric Element Wattage

150

practical
chic

simple,
compact
and stylish



MD047

H: 1322
W: 480
D: 90

Heat Output @ 50°CΔt
Watts: 526
Btu/hr: 1795

Electric Element Wattage
300

MD049

H: 1165
W: 500
D: 95

Heat Output @ 50°CΔt
Watts: 420
Btu/hr: 1435

Electric Element Wattage
300





MD057

H: 850
W: 750
D: 195

Heat Output @ 50°CΔt
Watts: 257
Btu/hr: 878

Electric Element Wattage
200



contemporary
style statements



MD055

Stainless Steel

H: 1200
W: 500
D: 100

Heat Output @ 50°CΔt
Watts: 179
Btu/hr: 598

Electric Element Wattage
150



DR009

H: 1400
W: 600
D: 175

Heat Output @ 50°CΔt
Watts: 976
Btu/hr: 3330

Electric Element Wattage
200



DR012

H: 900
W: 500
D: 183

Heat Output @ 50°CΔt
Watts: 475
Btu/hr: 1621

Electric Element Wattage
150



DR010

H: 1000

W: 500

D: 116

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$

Watts: 283

Btu/hr: 967

Electric Element Wattage

200



DR011

H: 1200

W: 635

D: 165

Heat Output @ $50^{\circ}\text{C}\Delta\text{t}$

Watts: 374


Btu/hr: 1278

Electric Element Wattage


200



METALLIC FINISHES




POLISHED CHROME




SATIN CHROME



POLISHED NICKEL




SATIN NICKEL



ANTIQUE GOLD



DARK GOLD



POLISHED BRASS



PEWTER



ANTIQUE BRONZE



ANTIQUE COPPER



**OIL RUBBED
BRONZE**



**MELANGE
(combination of two finishes)**

RADIATOR COLOURS



RAL 1013



RAL 1015



RAL 1018



RAL 1028



RAL 2011



RAL 3000



RAL 3002



RAL 3020



RAL 4003



RAL 4005



RAL 5009



RAL 5012



RAL 5015




RAL 5017



RAL 6005



RAL 6018



RAL 6019




RAL 6027




RAL 7011




RAL 7016



RAL 7035



RAL 7040




RAL 8011




RAL 8017



RAL 8023



RAL 9001



RAL 9003



RAL 9005



RAL 9010

Due to limitations in printing, exact color match is not possible, although every effort has been made to ensure accuracy.



LEROU ARCHITECTURAL HARDWARE

LEROU
since 1792

Monnikenwerve 131 B-8000 Brugge | www.lerou.com